ELSEVIER

Neuroscience Letters 253 (1998) 204–207

Neuroscience Letters

Author Index to Volume 253

Abbadie, C., Basbaum, A.I., The contribution of capsaicin-sensitive afferents to the dorsal root ganglion sprouting of sympathetic axons after peripheral nerve injury in the rat, 143
Ackenheil, M., see Schwarz, M.J., 201
Agnisola, C., see Fiorito, G., 87
Alho, K., see Lehtokoski, A., 155
Amano, N., see Hashimoto, M., 79
Antonelli, T., see Ferraro, L., 135
Aronen, H.J., see Linkenkaer-Hansen, K., 147

Balster, R.L., see Nicholson, K.L., 53
Bardoni, R., see Gu, J.G., 167
Basbaum, A.I., see Abbadie, C., 143
Becskei, A., see Jancsó, G., 139
Behnisch, T., Reymann, K.G., Inhibition of apamin-sensitive calcium dependent potassium channels facilitate the induction of long-term potentiation in the CA1 region of rat hippocampus in vitro, 91
Bergström, K.A., see Kuikka, J.T., 195
Berthoz, A., see Grasso, R., 115
Biella, G., see Sotgiu, M.L., 21
Bjellerup, P., see Eder, U., 17
Bonmann, E., Jüttler, E., Krestel, H.E., Spranger, M., Heparin inhibits induction of nitric oxide synthase by cytokines in rat brain microvascular endothelial cells, 95
Bouchet, F., see Pezard, L., 5
Bowser, R., Reilly, S., Expression of FAC1 in activated microglia during Alzheimer's disease, 163
Buchan, A.M.J., see Smith, V.C., 49

Calamandrei, G., see Fiorito, G., 87
Carretero, J., see Sánchez, F., 75
Chino, N., see Okajima, Y., 65
Choi, S.Y., see Yung, K.K.L., 57
Chun, M.-H., see Kim, I.-B., 83
Cioni, C., Francia, N., Fabrizi, C., Colasanti, M., Venturini, G., Partial biochemical characterization of nitric oxide synthase in the caudal spinal cord of the teleost *Oreochromis niloticus*, 68
Cohen, R., see Dobel, C., 179
Colasanti, M., see Cioni, C., 68
Collet, L., see Philibert, B., 99
Couraud, J.-Y., see Smith, V.C., 49
Cousin, M.A., Robinson, P.J., Ba^{2+} does not support synaptic vesicle retrieval in rat cerebrocortical synaptosomes, 1
Crespo, D., see Insausti, A.M., 175
Cruz-Orive, L.M., see Insausti, A.M., 175

d'Addio, M., see Fiorito, G., 87
De Keyser, J., see Sulter, G., 71
Derouesné, C., see Pezard, L., 5
Dierssen, M., see Insausti, A.M., 175

Dobel, C., Hauk, O., Zobel, E., Eulitz, C., Pulvermüller, F., Cohen, R., Schönle, P.W., Elbert, T., Rockstroh, B., Monitoring brain activity of human subjects during delayed matching to sample tasks comparing verbal and pictorial stimuli with modal and cross-modal presentation: an event related potential study employing a source reconstruction method, 179
Domoki, F., see Jancsó, G., 139
Donaldson, D.M., see Jakowec, M.W., 13
Dux, M., see Jancsó, G., 139

Eder, U., Fischer-Colbrie, R., Kogner, P., Leitner, B., Bjellerup, P., Winkler, H., Levels and molecular forms of chromogranins in human childhood neuroblastomas and ganglioneuromas, 17
Elbert, T., see Dobel, C., 179
Elting, J.W., see Sulter, G., 71
Eronen, M., see Kuikka, J.T., 195
Eulitz, C., see Dobel, C., 179
Ewert, J.-P., see Schwippert, W.W., 33

Fabrizi, C., see Cioni, C., 68
Fernandez, B.E., see Vatta, M.S., 151
Ferraro, L., Antonelli, T., O'Connor, W.T., Tanganelli, S., Rambert, F.A., Fuxe, K., The effects of modafinil on striatal, pallidal and nigral GABA and glutamate release in the conscious rat: evidence for a preferential inhibition of striato-pallidal GABA transmission, 135
Fiorito, G., Agnisola, C., d'Addio, M., Valanzano, A., Calamandrei, G., Scopolamine impairs memory recall in *Octopus vulgaris*, 87
Fischer, J., see Jancsó, G., 139
Fischer-Colbrie, R., see Eder, U., 17
Flórez, J., see Insausti, A.M., 175
Francia, N., see Cioni, C., 68
Fujii, T., see Okuda, J., 127
Fukatsu, R., see Okuda, J., 127
Fukuda, H., see Okuda, J., 127
Fuxe, K., see Ferraro, L., 135

Gao, Z.G., see Yung, K.K.L., 57
Gatherer, M., Sundstrom, L.E., Mossy fibre innervation is not required for the development of kainic acid toxicity in organotypic hippocampal slice cultures, 119
Gean, P.-W., see Huang, C.-C., 9
Getslev, V., see Schreiber, S., 183
Godaux, E., see Ris, L., 131
Grasso, R., Prévost, P., Ivanenko, Y.P., Berthoz, A., Eye-head coordination for the steering of locomotion in humans: an anticipatory synergy, 115
Gu, J.G., Bardoni, R., Magherini, P.C., MacDermott, A.B., Effects of the P_2-purinoceptor antagonists suramin and pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid on glutamatergic synaptic transmission in rat dorsal horn neurons of the spinal cord, 167
Guez, D., see Pezard, L., 5

PII S0304-3940(98)00684-3

ELSEVIER

Neuroscience Letters 253 (1998) 204–207

Neuroscience Letters

Author Index to Volume 253

Abbadie, C., Basbaum, A.I., The contribution of capsaicin-sensitive afferents to the dorsal root ganglion sprouting of sympathetic axons after peripheral nerve injury in the rat, 143
Ackenheil, M., see Schwarz, M.J., 201
Agnisola, C., see Fiorito, G., 87
Alho, K., see Lehtokoski, A., 155
Amano, N., see Hashimoto, M., 79
Antonelli, T., see Ferraro, L., 135
Aronen, H.J., see Linkenkaer-Hansen, K., 147

Balster, R.L., see Nicholson, K.L., 53
Bardoni, R., see Gu, J.G., 167
Basbaum, A.I., see Abbadie, C., 143
Becskei, A., see Jancsó, G., 139
Behnisch, T., Reymann, K.G., Inhibition of apamin-sensitive calcium dependent potassium channels facilitate the induction of long-term potentiation in the CA1 region of rat hippocampus in vitro, 91
Bergström, K.A., see Kuikka, J.T., 195
Berthoz, A., see Grasso, R., 115
Biella, G., see Sotgiu, M.L., 21
Bjellerup, P., see Eder, U., 17
Bonmann, E., Jüttler, E., Krestel, H.E., Spranger, M., Heparin inhibits induction of nitric oxide synthase by cytokines in rat brain microvascular endothelial cells, 95
Bouchet, F., see Pezard, L., 5
Bowser, R., Reilly, S., Expression of FAC1 in activated microglia during Alzheimer's disease, 163
Buchan, A.M.J., see Smith, V.C., 49

Calamandrei, G., see Fiorito, G., 87
Carretero, J., see Sánchez, F., 75
Chino, N., see Okajima, Y., 65
Choi, S.Y., see Yung, K.K.L., 57
Chun, M.-H., see Kim, I.-B., 83
Cioni, C., Francia, N., Fabrizi, C., Colasanti, M., Venturini, G., Partial biochemical characterization of nitric oxide synthase in the caudal spinal cord of the teleost *Oreochromis niloticus*, 68
Cohen, R., see Dobel, C., 179
Colasanti, M., see Cioni, C., 68
Collet, L., see Philibert, B., 99
Couraud, J.-Y., see Smith, V.C., 49
Cousin, M.A., Robinson, P.J., Ba^{2+} does not support synaptic vesicle retrieval in rat cerebrocortical synaptosomes, 1
Crespo, D., see Insausti, A.M., 175
Cruz-Orive, L.M., see Insausti, A.M., 175

d'Addio, M., see Fiorito, G., 87
De Keyser, J., see Sulter, G., 71
Derouesné, C., see Pezard, L., 5
Dierssen, M., see Insausti, A.M., 175

Dobel, C., Hauk, O., Zobel, E., Eulitz, C., Pulvermüller, F., Cohen, R., Schönle, P.W., Elbert, T., Rockstroh, B., Monitoring brain activity of human subjects during delayed matching to sample tasks comparing verbal and pictorial stimuli with modal and cross-modal presentation: an event related potential study employing a source reconstruction method, 179
Domoki, F., see Jancsó, G., 139
Donaldson, D.M., see Jakowec, M.W., 13
Dux, M., see Jancsó, G., 139

Eder, U., Fischer-Colbrie, R., Kogner, P., Leitner, B., Bjellerup, P., Winkler, H., Levels and molecular forms of chromogranins in human childhood neuroblastomas and ganglioneuromas, 17
Elbert, T., see Dobel, C., 179
Elting, J.W., see Sulter, G., 71
Eronen, M., see Kuikka, J.T., 195
Eulitz, C., see Dobel, C., 179
Ewert, J.-P., see Schwippert, W.W., 33

Fabrizi, C., see Cioni, C., 68
Fernandez, B.E., see Vatta, M.S., 151
Ferraro, L., Antonelli, T., O'Connor, W.T., Tanganelli, S., Rambert, F.A., Fuxe, K., The effects of modafinil on striatal, pallidal and nigral GABA and glutamate release in the conscious rat: evidence for a preferential inhibition of striato-pallidal GABA transmission, 135
Fiorito, G., Agnisola, C., d'Addio, M., Valanzano, A., Calamandrei, G., Scopolamine impairs memory recall in *Octopus vulgaris*, 87
Fischer, J., see Jancsó, G., 139
Fischer-Colbrie, R., see Eder, U., 17
Flórez, J., see Insausti, A.M., 175
Francia, N., see Cioni, C., 68
Fujii, T., see Okuda, J., 127
Fukatsu, R., see Okuda, J., 127
Fukuda, H., see Okuda, J., 127
Fuxe, K., see Ferraro, L., 135

Gao, Z.G., see Yung, K.K.L., 57
Gatherer, M., Sundstrom, L.E., Mossy fibre innervation is not required for the development of kainic acid toxicity in organotypic hippocampal slice cultures, 119
Gean, P.-W., see Huang, C.-C., 9
Getslev, V., see Schreiber, S., 183
Godaux, E., see Ris, L., 131
Grasso, R., Prévost, P., Ivanenko, Y.P., Berthoz, A., Eye-head coordination for the steering of locomotion in humans: an anticipatory synergy, 115
Gu, J.G., Bardoni, R., Magherini, P.C., MacDermott, A.B., Effects of the P_2-purinoceptor antagonists suramin and pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid on glutamatergic synaptic transmission in rat dorsal horn neurons of the spinal cord, 167
Guez, D., see Pezard, L., 5

PII S0304-3940(98)00684-3

Hanayama, K., see Okajima, Y., 65
Hashiguchi, H., see Ishida, Y., 45
Hashimoto, M., Amano, N., Stimulation of the neostriatum induces jaw-opener muscle activity, but not jaw-closer muscle activity: an electromyographic study in the rat, 79
Hauk, O., see Dobel, C., 179
Haviv, R., see Lindenboim, L., 37
He, Q.-P., see Li, P.-A., 191
Hietanen, J.K., see Linkenkaer-Hansen, K., 147
Hirst, J.J., see Nicol, M.B., 111
Horn, E., see Sebastian, C., 171
Huang, C.-C., Lin, C.-H., Gean, P.-W., Potentiation of *N*-methyl-D-aspartate currents by isoproterenol in the acutely dissociated rat amygdalar neurons, 9

Ikemoto, K., Nagatsu, I., Ito, S., King, R.A., Nishimura, A., Nagatsu, T., Does tyrosinase exist in neuromelanin-pigmented neurons in the human substantia nigra?, 198
Ilmoniemi, R.J., see Linkenkaer-Hansen, K., 147
Inoue, M., Yoshino, A., Suzuki, A., Ogasawara, T., Nomura, S., Topographic study of human event-related potentials using a task requiring mental rotation, 107
Insausti, A.M., Megías, M., Crespo, D., Cruz-Orive, L.M., Dierssen, M., Vallina, T.F., Insausti, R., Flórez, J., Hippocampal volume and neuronal number in Ts65Dn mice: a murine model of down syndrome, 175
Insausti, R., see Insausti, A.M., 175
Ishida, Y., Todaka, K., Kuwahara, I., Hashiguchi, H., Ishizuka, Y., Nakane, H., Mitsuyama, Y., Peripherally administered tetrahydrobiopterin increases in vivo tryptophan hydroxylase activity in the striatum after transplantation of fetal ventral mesencephalon in six hydroxydopamine lesioned rats, 45
Ishizuka, Y., see Ishida, Y., 45
Ito, M., see Okuda, J., 127
Ito, S., see Ikemoto, K., 198
Ivanenko, Y.P., see Grasso, R., 115

Jaggar, S.I., Sellaturay, S., Rice, A.S.C., The endogenous cannabinoid anandamide, but not the CB2 ligand palmitoylethanolamide, prevents the viscero-visceral hyper-reflexia associated with inflammation of the rat urinary bladder, 123
Jakowec, M.W., Petzinger, G.M., Sastry, S., Donaldson, D.M., McCormack, A., Langston, J.W., The native form of α-synuclein is not found in the cerebrospinal fluid of patients with Parkinson's disease or normal controls, 13
Jancsó, G., Domoki, F., Sántha, P., Varga, J., Fischer, J., Orosz, K., Penke, B., Becskei, A., Dux, M., Tóth, L., β-Amyloid (1–42) peptide impairs blood-brain barrier function after intracarotid infusion in rats, 139
Jüttler, E., see Bonmann, E., 95

Karhu, J., see Kuikka, J.T., 195
Kawashima, R., see Okuda, J., 127
Kernell, D., see Zijdewind, I., 41
Kim, I.-B., Park, D.-K., Oh, S.-J., Chun, M.-H., Horizontal cells of the rat retina show choline acetyltransferase- and vesicular acetylcholine transporter-like immunoreactivities during early postnatal developmental stages, 83
Kimura, A., see Okajima, Y., 65
King, R.A., see Ikemoto, K., 198
Kogner, P., see Eder, U., 17
Krestel, H.E., see Bonmann, E., 95
Kronthaler, U.O., Schmidt, W.J., The mGluRs group II agonist (2*S*,3*S*,4*S*)-alpha-carboxycyclopropyl-glycine induces catalepsy in the rat, which is pronouncedly antagonised by dizocilpine and D,L-Amphetamine, 25
Kuikka, J.T., Tiihonen, J., Bergström, K.A., Karhu, J., Räsänen, P., Eronen, M., Abnormal structure of human striatal dopamine re-uptake sites in habitually violent alcoholic offenders: a fractal analysis, 195
Kujala, T., see Lehtokoski, A., 155
Kuschinsky, W., see Li, P.-A., 191
Kuwahara, I., see Ishida, Y., 45
Kwok, F.S.L., see Yung, K.K.L., 57

Langston, J.W., see Jakowec, M.W., 13
LeDoux, M.S., Lorden, J.F., Smith, J.M., Mays, L.E., Serotonergic modulation of eye blinks in cat and monkey, 61
Lehtokoski, A., Kujala, T., Näätänen, R., Alho, K., Enhanced brain activity preceding voluntary movement in early blind humans, 155
Leitner, B., see Eder, U., 17
Li, P.-A., Vogel, J., Smith, M.-l., He, Q.-P., Kuschinsky, W., Siesjö, B.K., Capillary patency after transient middle cerebral artery occlusion of 2 h duration, 191
Lin, C.-H., see Huang, C.-C., 9
Lindenboim, L., Haviv, R., Stein, R., Bcl-x_L inhibits different apoptotic pathways in rat PC12 cells, 37
Linkenkaer-Hansen, K., Palva, J.M., Sams, M., Hietanen, J.K., Aronen, H.J., Ilmoniemi, R.J., Face-selective processing in human extrastriate cortex around 120 ms after stimulus onset revealed by magneto- and electroencephalography, 147
Lorden, J.F., see LeDoux, M.S., 61

MacDermott, A.B., see Gu, J.G., 167
Magherini, P.C., see Gu, J.G., 167
Martinerie, J., see Pezard, L., 5
Martinez, M.E., see Sánchez, F., 75
Mays, L.E., see LeDoux, M.S., 61
McCormack, A., see Jakowec, M.W., 13
Megías, M., see Insausti, A.M., 175
Mitsuyama, Y., see Ishida, Y., 45
Moga, M.M., Delayed loss of p75 neurotrophin receptor-immunoreactivity in the rat suprachiasmatic nucleus and intergeniculate leaflet after binocular enucleation, 187
Mohr, B., Pulvermüller, F., Schleichert, H., Learned changes of brain states alter cognitive processing in humans, 159
Moreno, M.N., see Sánchez, F., 75
Müller, N., see Schwarz, M.J., 201
Mulligan, S., Persinger, M.A., Perinatal exposures to rotating magnetic fields 'demasculinize' neuronal density in the medial preoptic nucleus of male rats, 29

Nagatsu, I., see Ikemoto, K., 198
Nagatsu, T., see Ikemoto, K., 198
Nakane, H., see Ishida, Y., 45
Näätänen, R., see Lehtokoski, A., 155
Nicholson, K.L., Balster, R.L., Phencyclidine-like discriminative stimulus effects of polyamine modulators of *N*-methyl-D-aspartate receptor activity in rats, 53
Nicol, M.B., Hirst, J.J., Walker, D.W., Effect of pregnane steroids on electrocortical activity and somatosensory evoked potentials in fetal sheep, 111

Nishimura, A., see Ikemoto, K., 198
Nomura, S., see Inoue, M., 107

O'Connor, W.T., see Ferraro, L., 135
Ogasawara, T., see Inoue, M., 107
Oh, S.-J., see Kim, I.-B., 83
Ohtsuka, T., see Okajima, Y., 65
Okajima, Y., Toikawa, H., Hanayama, K., Ohtsuka, T., Kimura, A., Chino, N., Relationship between nerve and muscle fiber conduction velocities of the same motor unit in man, 65
Okuda, J., Fujii, T., Yamadori, A., Kawashima, R., Tsukiura, T., Fukatsu, R., Suzuki, K., Ito, M., Fukuda, H., Participation of the prefrontal cortices in prospective memory: evidence from a PET study in humans, 127
Orosz, K., see Jancsó, G., 139

Palva, J.M., see Linkenkaer-Hansen, K., 147
Papaxanthis, C., Pozzo, T., Stapley, P., Effects of movement direction upon kinematic characteristics of vertical arm pointing movements in man, 103
Park, D.-K., see Kim, I.-B., 83
Penke, B., see Jancsó, G., 139
Persinger, M.A., see Mulligan, S., 29
Petzinger, G.M., see Jakowec, M.W., 13
Pezard, L., Martinerie, J., Varela, F.J., Bouchet, F., Guez, D., Derouesné, C., Renault, B., Entropy maps characterize drug effects on brain dynamics in Alzheimer's disease, 5
Philibert, B., Veuillet, E., Collet, L., Functional asymmetries of crossed and uncrossed medial olivocochlear efferent pathways in humans, 99
Pick, C.G., see Schreiber, S., 183
Pozzo, T., see Papaxanthis, C., 103
Prévost, P., see Grasso, R., 115
Pulvermüller, F., see Dobel, C., 179
Pulvermüller, F., see Mohr, B., 159

Rambert, F.A., see Ferraro, L., 135
Räsänen, P., see Kuikka, J.T., 195
Reilly, S., see Bowser, R., 163
Renault, B., see Pezard, L., 5
Reymann, K.G., see Behnisch, T., 91
Rice, A.S.C., see Jaggar, S.I., 123
Riedel, M., see Schwarz, M.J., 201
Ris, L., Godaux, E., Spike discharge regularity of vestibular neurons in labyrinthectomized guinea pigs, 131
Robinson, P.J., see Cousin, M.A., 1
Rockstroh, B., see Dobel, C., 179
Röttgen, A., see Schwippert, W.W., 33
Rubio, L.G., see Vatta, M.S., 151
Rubio, M., see Sánchez, F., 75
Rubio, M., see Vatta, M.S., 151

Sagot, M.A., see Smith, V.C., 49
Sams, M., see Linkenkaer-Hansen, K., 147
Sánchez, F., Martinez, M.E., Rubio, M., Carretero, J., Moreno, M.N., Vázquez, R., Reduced nicotinamide adenine dinucleotide phosphate-diaphorase activity in the paraventricular nucleus of the rat hypothalamus is modulated by estradiol, 75
Sántha, P., see Jancsó, G., 139
Sastry, S., see Jakowec, M.W., 13

Schönle, P.W., see Dobel, C., 179
Schleichert, H., see Mohr, B., 159
Schmidt, W.J., see Kronthaler, U.O., 25
Schreiber, S., Getslev, V., Weizman, A., Pick, C.G., The antinociceptive effect of moclobemide in mice is mediated by noradrenergic pathways, 183
Schwarz, M.J., Ackenheil, M., Riedel, M., Müller, N., Blood\tqcerebrospinal fluid barrier impairment as indicator for an immune process in schizophrenia, 201
Schwippert, W.W., Röttgen, A., Ewert, J.-P., Neuropeptide Y (NPY) or fragment NPY 13–36, but not NPY 18–36, inhibit retinotectal transfer in cane toads *Bufo marinus*, 33
Sebastian, C., Horn, E., The minimum duration of microgravity experience during space flight which affects the development of the roll induced vestibulo-ocular reflex in an amphibian (*Xenopus laevis*), 171
Sellaturay, S., see Jaggar, S.I., 123
Siesjö, B.K., see Li, P.-A., 191
Smith, J.M., see LeDoux, M.S., 61
Smith, M.-l., see Li, P.-A., 191
Smith, V.C., Sagot, M.A., Couraud, J.-Y., Buchan, A.M.J., Localization of the neurokinin 1 (NK-1) receptor in the human antrum and duodenum, 49
Sotgiu, M.L., Biella, G., Contralateral inhibitory control of spinal nociceptive transmission in rats with chronic peripheral nerve injury, 21
Spranger, M., see Bonmann, E., 95
Stapley, P., see Papaxanthis, C., 103
Stein, R., see Lindenboim, L., 37
Sulter, G., Elting, J.W., De Keyser, J., Increased serum neuron specific enolase concentrations in patients with hyperglycemic cortical ischemic stroke, 71
Sundstrom, L.E., see Gatherer, M., 119
Suzuki, A., see Inoue, M., 107
Suzuki, K., see Okuda, J., 127

Tanganelli, S., see Ferraro, L., 135
Tiihonen, J., see Kuikka, J.T., 195
Todaka, K., see Ishida, Y., 45
Toikawa, H., see Okajima, Y., 65
Tóth, L., see Jancsó, G., 139
Tse, Y.C., see Yung, K.K.L., 57
Tsukiura, T., see Okuda, J., 127

Valanzano, A., see Fiorito, G., 87
Vallina, T.F., see Insausti, A.M., 175
Varela, F.J., see Pezard, L., 5
Varga, J., see Jancsó, G., 139
Vatta, M.S., Rubio, M., Rubio, L.G., Fernandez, B.E., Atrial natriuretic factor does not affect norepinephrine catabolism in rat hypothalamus and adrenal medulla, 151
Vázquez, R., see Sánchez, F., 75
Venturini, G., see Cioni, C., 68
Veuillet, E., see Philibert, B., 99
Vogel, J., see Li, P.-A., 191

Walker, D.W., see Nicol, M.B., 111
Weizman, A., see Schreiber, S., 183
Winkler, H., see Eder, U., 17

Yamadori, A., see Okuda, J., 127

Yoshino, A., see Inoue, M., 107
Yung, K.K.L., Tse, Y.C., Gao, Z.G., Choi, S.Y., Kwok, F.S.L., Localization of GABA transaminase immunoreactivity in the rat substantia nigra pars reticulata, 57
Zijdewind, I., Zwarts, M.J., Kernell, D., Influence of a voluntary fatigue test on the contralateral homologous muscle in humans? 41
Zobel, E., see Dobel, C., 179
Zwarts, M.J., see Zijdewind, I., 41